

# Randy by FusionBeads.com



Approximate finished length: 7.5 inches

## **Beads and other products needed for one bracelet:**

- 18 - 6mm White Swarovski Elements Crystal Pearls (PL5300)
- 1 - 4.5mm Pewter Alphabet Bead – A (PW0100)
- 1 - 4.5mm Pewter Alphabet Bead – D (PW0103)
- 1 - 4.5mm Pewter Alphabet Bead – N (PW0113)
- 1 - 4.5mm Pewter Alphabet Bead – R (PW0117)
- 1 - 4.5mm Pewter Alphabet Bead – Y (PW0124)
- 8 - 1x4.5mm Antique Silver Plated Pewter Beaded Heishi Spacers by TierraCast® (SP0102)
- 4 - 1.5x4mm Silver Plated Pewter Heishi Spacer Beads by TierraCast® (SP0309)
- 8 - 3x6mm Antique Silver Plated Pewter Rococo Round Beads by TierraCast® (SP0263)
- 1 - 18.5x12.5mm Antique Silver Plated Pewter Deco Square Toggle Clasp by TierraCast® (SP2140)
- 2 - 2x2mm Sterling Silver Crimp Beads (SS4047)
- 2 - 3.5mm Sterling Silver Crimp Bead Covers (SS2103)
- 10 inches - Clear Soft Flex Beading Wire .014 diameter (SM0310)

## **Tools needed to complete the bracelet:**

- Wire cutters
- Crimping pliers (TL0500)

## **Beading Techniques needed to complete the bracelet:**

- Crimping
- Crimp Bead Covers

*For step-by-step photos and instructions on these and other techniques, visit [FusionBeads.com](http://FusionBeads.com) and select Beading Techniques from the top navigation bar.*

## **Instructions to complete “Randy” bracelet:**

### **Step 1**

Place one crimp bead and one side of the toggle clasp onto a 10-inch length of beading wire. Pass the wire back through the crimp bead, and crimp the crimp bead (see Crimping Technique). Trim excess wire with wire cutters.

### **Step 2**

Cover the crimp bead with a crimp bead cover (see Crimp Bead Covers Technique), and trim excess wire with wire cutters.

### **Step 3**

String these beads in the following sequence onto the beading wire:

- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – R bead
- 1 – 1.5x4mm heishi
- 1 – A bead
- 1 – 1.5x4mm heishi
- 1 – N bead
- 1 – 1.5x4mm heishi
- 1 – D bead
- 1 – 1.5x4mm heishi
- 1 – Y bead
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl
- 1 – rococo bead
- 1 – pearl
- 1 – 1x4.5mm heishi
- 1 – pearl

**Step 4**

String one crimp bead and the other side of the clasp onto the beading wire. Pass the wire back through the crimp bead, and crimp the crimp bead. Cover the crimp with a crimp bead cover, and trim excess wire with wire cutters.

**For more Inspiration jewelry ideas and to meet all your beading needs, visit [FusionBeads.com](http://FusionBeads.com)!**