

Peach Julep by FusionBeads.com



Approximate finished length: 19.5 inches

Beads and other products needed for one necklace:

- 43 - 6mm Copper Lined Crystal AB Fire Polished Round Glass Beads (FP2515) (A)
- 27 - 6mm Rosaline Fire Polished Round Glass Beads (FP0414) (B)
- 27 - 6mm Dark Rosaline Fire Polished Round Glass Beads (FP1457) (C)
- 24 - 6mm Pink Lemonade Luster Fire Polished Round Glass Beads (FP1477) (D)
- 27 - 6mm Matte Medium Rose Fire Polished Round Glass Beads (FP2582) (E)
- 27 - 6mm Opaque Rose/Gold Topaz Luster Fire Polished Round Glass Beads (FP1525) (F)
- 27 - 6mm Transparent Gold/Smoky Topaz Luster Fire Polished Round Glass Beads (FP1388) (G)
- 42 - 6mm Dark Bronze Fire Polished Round Glass Beads (FP1380) (H)
- 49 - 8mm Rosaline Fire Polished Round Glass Beads (FP0629) (I)
- 48 - 8mm Pink Lemonade Luster Fire Polished Round Glass Beads (FP1606) (J)
- 24 - 8mm Opaque Rose/Gold Topaz Luster Fire Polished Glass Round Beads (FP2092) (K)
- 24 - 8mm French Rose Fire Polished Round Glass Beads (FP0739) (L)
- 2 - 19x19mm Gold Plated Pewter Large Hammered Circle Rings (GP2269)
- 1 - 22mm Gold Plated Pewter Radiant Square Clasp Set by TierraCast® (GP2332)
- 3 - 8mm Gold Plated Base Metal 18 Gauge Open Jump Rings (BM2857)
- 12 - 1.5mm Gold Plated Brass Tube Crimp Beads (BM2528)
- 12 - 3mm Gold Plated Base Metal Crimp Bead Covers (BM3061)
- 10 feet - Clear Soft Flex Beading Wire .014 diameter (SM0100)

Tools needed to complete the necklace:

- Wire cutters
- Chain nose pliers
- Crimping pliers (TL0500)

Beading Techniques needed to complete the necklace:

- Opening and Closing a Jump Ring
- Crimping
- Crimp Bead Covers
- Multi-strand With Closed Jump Rings

Instructions to complete “Peach Julep” necklace:

Tip

The letters A – L designate the beads used in the pattern. Please refer to the materials list above for the key.

Step 1

Using wire cutters, cut six 24-inch lengths of beading wire.

Step 2

String one crimp bead and one hammered ring onto one length of beading wire (see Multi-strand With Closed Jump Rings Technique). Pass the beading wire back through the crimp bead, and crimp the crimp bead (see Crimping Technique).

Step 3

Cover the crimp bead with a crimp bead cover (see Crimp Bead Covers Technique), and trim excess wire with wire cutters.

Step 4

Repeat Steps 2 – 3 with each of the remaining lengths of beading wire.

Step 5

Strand 1:

String these beads in the following sequence onto the beading wire:

2 – A
9 – B
8 – I
9 – C
8 – K
9 – D
8 – L
12 – H

Strand 2:

4 – A
9 – B
8 – I
9 – C
8 – K
6 – D
8 – L
8 – H

Strand 3:

6 – A
8 – J
9 – E
8 – I
9 – F
8 – J
9 – G
10 – H

Strand 4:

8 – A
8 – J
9 – E
8 – I
9 – F
8 – J
9 – G
6 – H

Strand 5:

10 – A
9 – B
8 – I
9 – C
8 – K
9 – D
8 – L
4 – H

Strand 6:

13 – A
8 – J
9 – E
9 – I
9 – F
8 – J
9 – G
2 – H

Step 6

Check the necklace length, and add or remove beads as needed. Onto one strand, string one crimp bead, pass the wire back through the crimp bead, and crimp the crimp bead. Cover the crimp with a crimp bead cover, and trim excess wire. Repeat with each wire.

Step 7

Open two jump rings. Use one jump ring to attach one side of the toggle clasp to one end of the necklace and the other jump ring to attach the other side of the clasp to the other end of the necklace. Close both jump rings.

For step-by-step photos and instructions on these and other techniques, visit FusionBeads.com and select Beading Techniques from the top navigation bar. You'll find more Inspiration jewelry ideas at FusionBeads.com!