

# Seafoam Summer by FusionBeads.com



Approximate finished length: 18 inches

## **Beads and other products needed for one necklace:**

- 1 - Size 11 Nickel Plated Metal Round Seed Bead (SB1942)
- 1 - Size 11 White Lined Transparent Medium Spring Green Round Japanese Seed Beads (SB2371)
- 1 - Size 8 Nickel Plated Glass Round Japanese Seed Beads By Toho – 711 (SB1230)
- 1 - Size 8 Silver Lined Opal Mint Green Round Japanese Seed Bead (SB1184)
- 1 - Size 8 Turquoise Permanent Matte Galvanized Round Japanese Seed Beads By Toho - PF578F (SB8162)
- 2 - Persian Turquoise Fire Polished Round Glass Bead - 4mm (FP3625)
- 2 - 5x3mm Turquoise Opaque Pinch Czech Pressed Glass Bead (GL1773)
- 3 - Green Turquoise Fire Polished Glass Round Bead - 6mm (FP2041)
- 1 - Seafoam Florals Lentil Focal Glass Bead by Grace Lampwork (HM7601)
- 1 - 14mm Sterling Silver Round Wire Circle Component (SS4837)
- 2 - Pewter Classic Bead Aligner by TierraCast - Rhodium - 6mm (SP2399)
- 2 - Sterling Silver Plain Cone - 30mm (SS2303)
- 1 - Pewter Bar and Ring Toggle Clasp by TierraCast - Antique Silver - 16mm (SP2128)
- 1 - 22 gauge Silver Plated Base Metal 2 inch Head Pin with 2mm Ball (BM2508)
- 18 - 2x2mm Sterling Silver Crimp Bead (SS4047)
- 6 inches - 22 Gauge Tarnish Resistant Silver Plated Craft Wire (CW0101)
- 16.5 feet - Clear Soft Flex Wire - .014" Diameter - 30 Foot Spool (SM0100)

## **Tools needed to complete the necklace:**

- Round nose pliers
- Chain nose pliers
- Wire cutters
- Crimping pliers (TL0500)

## **Beading Techniques needed to complete the necklace:**

- Crimping
- Wire Wrapping
- Wire Wrapped Link
- Multi-Strand Piece with Cones

## **Instructions to complete “Seafoam Summer” necklace:**

### **Step 1**

Using wire cutters, cut nine 22-inch lengths of beading wire. Cut two 3-inch lengths of wire.

### **Step 2**

Using one 3-inch length of wire, make a wire wrapped link (see Wire Wrapped Link Technique), completing one side only. The other side will be completed in upcoming steps.

### **Step 3**

Repeat Step 2 once.

### **Step 4**

Place one crimp bead and the completed loop on one wire wrapped link from Step 2 onto one length of beading wire. Pass the beading wire back through the crimp bead, and crimp the crimp bead (see Crimping Technique). Trim excess wire with wire cutters.

### **Step 5**

String these beads in the following sequence onto the beading wire:  
16 inches – 6mm green turquoise fire polished glass beads

### **Step 6**

String one crimp bead and the completed loop of the second wire wrapped link from Step 2 onto the beading wire. Pass the beading wire back through the crimp bead, and crimp the crimp bead. Trim excess wire.

### **Step 7**

Repeat Steps 4 – 6, stringing the remaining lengths of beading wire with the specified beads:

16 inches - size 11 nickel plated seed beads  
16 inches - size 11 white lined transparent medium spring green seed beads  
16 inches - size 8 nickel plated seed beads  
16 inches - size 8 silver lined opal mint green seed beads  
16 inches - size 8 turquoise permanent matte galvanized seed beads  
16 inches – 4mm Persian turquoise fire polished glass beads  
16 inches - 5x3mm turquoise opaque pinch Czech glass beads

### **Step 8**

String the 14mm circle component through all 9 strands of beads, sliding it to the middle of the strands.

### **Step 9**

Place one bead cone onto the open end of one wire wrapped link, pushing the cone down about a half inch so that the completed end of the wire wrap and the crimped ends of beading wire are concealed by the cone (see Multi-Strand Piece with Cones Technique).

### **Step 10**

String one size 8 turquoise permanent matte galvanized seed bead onto the open end of the wire. Complete the wire wrapped link, attaching the wrapped loop to the loop on the ring end of the toggle clasp.

### **Step 11**

Repeat Step 10 for the other end of the strands with the second wire wrapped link, attaching the wrapped loop to the loop on the bar end of the toggle clasp.

### **Step 12**

String these beads in the following sequence onto one head pin creating one unit:

1 – 6mm pewter bead aligner (smaller side up)  
1 - seafoam florals lentil focal glass bead  
1 - 6mm pewter bead aligner (smaller side down)

**Step 13**

Wire wrap (see Wire Wrapping Technique) the unit to the 14mm circle component. Trim excess wire.

**For step-by-step photos and instructions on these and other techniques, visit [FusionBeads.com](https://www.fusionbeads.com) and select Beading Techniques from the top navigation bar. You'll find more Inspiration jewelry ideas at [FusionBeads.com](https://www.fusionbeads.com)!**